

**Printing date 07.01.2022 Version number 2 (replaces version 1)** Revision: 07.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: BRILLET KL VERBENA

UFI: UY30-J00P-000E-8JJY

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture:** Dishwashing liquid (verbena scent).

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Kalogeropoulos Chemicals S.A.

D. Gounari 35, 185 31

Pireaus, Greece

Tel: +30 2104124518 Fax: +30 2104101607

e-mail: info@kalochem.gr

website: www.kalochem.gr 1.4 Emergency telephone number:



European Emergency Tel.: 112

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:** 



(Contd. on page 2)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 1)

Signal word: Danger

## Hazard-determining components of labelling:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

#### **Hazard statements:**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P102 Keep out of reach of children. P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.
P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## **Additional information:**

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants	≥15 - <30%
amphoteric surfactants, non-ionic surfactants	<5%
preservation agents (BENZISOTHIAZOLINONE, PHENOXYETHANOL,	
METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE), perfumes	
(HEXYL CINNAMAL, CITRONELLOL, LIMONENE)	

#### 2.3 Other hazards

## Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

**Description:** Mixture: consisting of the following components.

(Contd. on page 3)

-GB

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

	(Con	td. of page 2)
Ingredients according Regulation	(EU) 2020/878:	
CAS: 68891-38-3 NLP: 500-234-8	Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)	≥3-<10%
Reg.nr.: 01-2119488639-16-XXXX	Eye Dam. 1, H318;  Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
EC number: 931-513-6 Reg.nr.: 01-2119513359-38-XXXX	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts  Eye Dam. 1, H318; Aquatic Chronic 3, H412	≥3-≤10%
CAS: 68439-57-6 EC number: 931-534-0 Reg.nr.: 01-2119513401-57-XXXX	Sulfonic acids, C14-16-alkane hydroxy andC14-16-alkene, sodium salts  ② Eye Dam. 1, H318; ③ Skin Irrit. 2, H315  Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 %  Eye Dam. 1; H318: C ≥ 38 %  Eye Irrit. 2; H319: 5 % ≤ C < 38 %	≥3-<10%
CAS: 68155-07-7 EC number: 931-329-6 Reg.nr.: 01-2119490100-53-XXXX	Amides, C8-18 (even numbered) and C18-unsatd.,N,N-bis(hydroxyethyl)  Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	≥3-<10%
CAS: 85586-07-8 EINECS: 287-809-4 Reg.nr.: 01-2119489463-28-XXXX	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts  Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412  Specific concentration limits: Eye Dam. 1; H318: C ≥ 20 %  Eye Irrit. 2; H319: 10 % ≤ C < 20 %	≥2.5-<10%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-XXXX	1,2-benzisothiazol-3(2H)-one  ② Eye Dam. 1, H318; ③ Aquatic Acute 1, H400; ① Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317  Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05	<0.05%

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## **General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician.

In case of unconsciousness place patient stably in side position for transportation.

## After skin contact:

Immediately rinse with water.

In case of skin irritation, consult a physician.

### **After eve contact:**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

(Contd. on page 4)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 3)

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

#### **After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

Do not induce vomiting.

Rinse mouth with water.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## **Suitable extinguishing agents:**

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand or earth

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

## **5.3** Advice for firefighters

### **Protective equipment:**

During fire-fighting wear suitable respiratory device (SCBA) with a full face-piece operated in positive pressure mode.

#### **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin and eyes.

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

**6.1.1 For non-emergency personnel** Avoid contact with dripping or leaking material

## 6.1.2 For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

**6.2 Environmental precautions:** Do not allow to penetrate the ground/soil.

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

## **6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 4)

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Wash hands before each break and after finishing work.

**Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

**Storage:** Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed. Keep away from children

**7.3 Specific end use(s)** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### **DNELs**

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts | (CAS): 85586-07-8

Workers:

Long-term exposure - systemic effects on dermal: DNEL = 4060 mg/kg/d Long-term exposure - systemic effects, Inhalation: DNEL = 285 mg/m<sup>3</sup>

Consumers:

Long-term exposure - systemic effects on dermal: DNEL = 2440 mg/kg/d Long-term exposure - systemic effects, Inhalation: DNEL = 85 mg/m<sup>3</sup> Long-term exposure - systemic effects on oral: DNEL = 24 mg/kg/d

1-propanaminium, 3-amino-N- (carboxymethyl) -N, Ndimethyl-, N- (C12-18 (even numbered) acyl) derivs.,

Hydroxides, inner salts | EcNo: 931-513-6.

Workers:

Inhalation - chronic systemic effect: 44 mg/m<sup>3</sup>. Dermal - chronic systemic effect: 12.5 mg/kg.

Consumers:

Oral - chronic systemic effect: 7.5 mg/kg.

Dermal - chronic systemic effect: 7.5 mg/kg bw/d

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) | EC No: 931-329-6

workers:

Long-term dermal Systemic effect: 4.16 mg/kg bw/d

Long term dermal local effect: 0.09 mg/cm<sup>2</sup>

Long-term systemic effect (inhalation): 73.4 mg/m<sup>3</sup>

Consumers:

Long-term systemic effect (inhalation): 21.7 mg/m³ Long Term dermal Systemic: 2.5 mg/kg bw/d Long-term dermal Local Effect: 0.056 mg / cm² Long-term Systemic oral effect: 6.25 mg / kg bw / d

(Contd. on page 6)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 5)

(Cas: 68891-38-3) Alcohols, C12-14, ethoxylated, sulfates, sodim salts

worker: Long-term exposure - systemic effects, dermal: DNEL = 2750 mg/kg worker: Long term exposure - systemic effects, Inhalation: DNEL = 175 mg/m<sup>3</sup> Consumer: Long-term exposure - Systemic effects, on Dermal: DNEL = 1650 mg/kg Consumer: Long-term exposure - Systemic effects, Inhalation: DNEL = 52 mg/m<sup>3</sup>

Consumer: Long-term exposure - Oral systemic effects: 15 mg/kg

**PNECs** 

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts | (CAS): 85586-07-8

fresh water: 0.102 mg/l marine water: 0.01 mg/l treatment unit: 0.036 mg/l

fresh water sediment: 3.58 mg/kg d w marine water sediment: 0.358 mg/kg d w

soil: 0.654 mg/kg d w

Intermittent release: 1084 mg/l

1-propanaminium, 3-amino-N- (carboxymethyl) -N, Ndimethyl-, N- (C12-18 (even numbered) acyl) derivs.,

Hydroxides, inner salts | EcNo: 931-513-6.

Fresh water: 0.0135 mg/l Marine water: 0.00135 mg/l Freshwater sediment: 1 mg/kg Marine water sediment: 0.1 mg/kg

Soil: 0.8 mg/kg

Wastewater treatment plant: 3000 mg/l

## **8.2** Exposure controls

## Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Do not eat, drink or smoke while using the product. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Avoid contact with skin and eyes. **Respiratory protection:** Not required.

**Hand protection** 



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 6)

## **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

## **Eye/face protection**



If splashing might occur use safety glasses in compliance with EN ISO 166

## **Body protection:**



Protective work clothing

**Environmental exposure controls** Do not release the product into the environment without control.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

**General Information** 

Physical stateLiquidColour:Yellow

**Odour:** Characteristic of the perfume

Odour threshold:Not determinedFlammabilityNot applicable

Lower and upper explosion limit

Lower: Not determined Upper: Not determined Flash point: Not Flammable

**Auto-ignition temperature:** Product is not selfigniting.

**Decomposition temperature:** Not determined

pH at 20 °C 6.5-7.5

**Viscosity:** 

**Kinematic viscosity at 40 °C Dynamic:**635 mm²/s
Not determined

**Solubility** 

water: Fully miscible
Partition coefficient n-octanol/water (log value) Not determined
Vapour pressure: Not determined

Density and/or relative density

Density:Not determinedRelative densityNot determinedVapour densityNot determined

9.2 Other information

**Appearance:** 

Form: Viscous liquid

(Contd. on page 8)

**Version number 2 (replaces version 1)** Revision: 07.01.2022 **Printing date 07.01.2022** 

Trade name: BRILLET KL VERBENA

(Contd. of page 7)

Important information on protection of health and

environment, and on safety.

**Auto-ignition temperature:** Not determined

**Explosive properties:** Product does not present an explosion hazard.

**Cloud point / clarification point:** 

**Oxidising properties** Not oxidising Not determined **Evaporation rate** 

Information with regard to physical hazard classes

Void Flammable gases Void Aerosols Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void **Self-reactive substances and mixtures** Void Void **Pyrophoric liquids Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable

gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void **Organic peroxides** Void **Corrosive to metals** Void **Desensitised explosives** Void

### **SECTION 10: Stability and reactivity**

10.1 Reactivity Stable under normal conditions

**10.2 Chemical stability** Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5** Incompatible materials No further relevant information available.
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

**ATE (Acute Toxicity Estimates)** 

Oral LD50 64,286 mg/kg (rat)

CAS: 68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

LD50 >2,000 mg/kg (rat) (Acute Oral Toxicity) Oral

(Contd. on page 9)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

		(Contd. of page 8)	
Dermal	LD50	>2,000 mg/kg (rat) (Acute Dermal Toxicity)	
CAS: 6843	CAS: 68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		
Oral	LD50	2,079 mg/kg (rat)	
Dermal	LD50	6,300-13,500 mg/kg (rabbit)	
Inhalative	LC50/4 h (vapour)	>52 mg/l (rat)	
CAS: 6815	CAS: 68155-07-7 Amides, C8-18 (even numbered) and C18-unsatd.,N,N-bis(hydroxyethyl)		
Oral	LD50	2,000 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
CAS: 8558	CAS: 85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts		
Oral	LD50	1,800 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg	
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
Oral	LD50	1,020 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:** 

**Repeated dose toxicity** Based on available data, the classification criteria are not met.

11.2 Information on other hazards

## **Endocrine disrupting properties**

None of the ingredients is listed.

# 12.1 Toxicity

12.1 1 0 XICI	ıty		
Aquatic to	Aquatic toxicity:		
CAS: 6889	1-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)		
LC50	7.4 mg/l (fresh water)		
	1.05 mg/l (Pimephales promelas)		
	7.1 mg/l (Brachydanio rerio)		
	27.7 mg/l (Desmodesmus subspicatus)		
	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) der		
hydroxides, inner salts			
EC50 (48h)	4.1 mg/l (daphnia magna)		

(Contd. on page 10)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 9) CAS: 68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	
EC50 (72h)   5.2 mg/l (algae)	
EC50 (48h) 4.53 mg/l (Daphnia) (Daphnia sp. Acute Immobilisation Test)	
LC50 (96h) 4.2 mg/l (fis) (Fish, Acute Toxicity Test)	
NOEC (21d) 6.7 mg/l (Daphnia) (Daphnia magna Reproduction Test)	
CAS: 68155-07-7 Amides, C8-18 (even numbered) and C18-unsatd.,N,N-bis(hydroxyethyl)	
EC50 (72h)   2.1-3.9 mg/l (algae)	
EC50 (48h) 3.2 mg/l (Invertebrate)	
LC50 (96h) 2.4 mg/l (fis)	
NOEC (21d) 100 mg/l (Invertebrate)	
NOEC (28d) 320 mg/kg (fis)	
CAS: 85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	
EC50 (72h) 12 mg/l (Desmodesmus subspicatus)	
EC50 (48h) 4.7 mg/l (daphnia magna)	
LC50 (96h) 3.6 mg/l (Oncorhynchus mykiss)	
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one	
EC50 (72h) 0.15 mg/l (sec)	
EC50 (48h) 1.1 mg/l (daphnia magna)	
LC50 (96h) 1.6 mg/l (Oncorhynchus mykiss)	

## 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid doen in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of detergent manufacturer.

(cas: 68439-57-6) Sulfonic acids, C14-16 (even numbered) -alkane hydroxy and C14-16 (even numbered) -alkane, sodium salts

OECD 301B Ready Biodegradability - CO

**Evolution Test** 

> 60% - Immediately - 28 days

OECD 306 Biodegradability in Seawater> 60% - Immediately - 28 days

Sodium Laureth Sulfate (CAS Nr: 68891-38-3)

>80% (15d) OECD 302B

86% (28d) OECD 301E

COD: 1.880mg/g

**12.3 Bioaccumulative potential** No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark: Harmful to fish

(Contd. on page 11)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 10)

### Additional ecological information:

### **General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Recommendation

Dispose according local and international regulations

Contact manufacturer for recycling information.

### **Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

Void
VOIU
Void
Void
Void
No
Not applicable.
MO Not applicable.
Void

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

(Contd. on page 12)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 11)

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended Regulation (EC) No.648/2004 on detergents, as amended.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

### **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

## Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

# Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

### **National regulations:**

Other regulations, limitations and prohibitive regulations

## Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Relevant phrases**

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### **Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

(Contd. on page 13)

Printing date 07.01.2022 Version number 2 (replaces version 1) Revision: 07.01.2022

Trade name: BRILLET KL VERBENA

(Contd. of page 12)

## **Department issuing SDS:**



SUST SUSTCHEM S.A.

**REACH & Chemical Services Department** 

A: 144, 3rd Septemyriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575 W: www.sustchem.gr | E: info@suschem.gr

## Version number of previous version: 1

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

GB -