



SUPLIER :  
 ARGILE DU VELAY  
 ZA de Nôlhac  
 43350 SAINT-PAULIEN  
 FRANCE



Certificate of analysis- CoA

> Product data:

Product name Red clay  
 Product reference CosRED  
 Batch# 13.21 - 520  
 Date of production : 29-Mar-21  
 Date of analysis: 18-May-21  
 Expiry date **27 NOV. 2022**

After this date, microbiology has to be recontrolled.

Store it in a dry, well-ventilated place far away from microbiological contamination

PO # 101002529

> Analysis of the batch :

	Results	Specifications	Method
<b>Physico-chemical analysis</b>			
Aspect	CONFORM	Red powder	Visual check (compared with a sample test)
Odour	CONFORM	None	Smell check (compared with a sample test)
Humidity	6,69%	< 8%	Test performed with an "Halogen Moisture Analyser METTLER TOLEDO"
pH	9	8 - 9	NF EN ISO 787-9 T31-235
Grain sizes	CONFORM	90% < 80 µm and 100% < 150 µm	Test performed with a Mastersizer 2000 (MALVERN) particle size analyser.
<b>Guaranteed heavy metals</b>			
Lead (Pb)	CONFORM	< 15 ppm	Mineralization according to EN 15 510. Internal method spectrometry ICP (9020 Shimadzu).
Arsenic (As)	CONFORM	< 15 ppm	
Cadmium (Cd)	CONFORM	< 0,50 ppm	
Mercury (Hg)	CONFORM	< 0,05 ppm	
Tin (Sn)	CONFORM	< 0,50 ppm	
Antimony (Sb)	CONFORM	< 0,50 ppm	
Cobalt (Co)	CONFORM	< 5 ppm	
Nickel (Ni)	CONFORM	< 15 ppm	
<b>Guaranteed microbiological quality</b>			
<i>Ingredient classified in category Z (according to the norm ISO 17 516).</i>			
DGAT	CONFORM	< 1000 CFU/g - [CAT 2]*	NF EN ISO 21149
DMLT	CONFORM		NF EN ISO 16 212
Pseudomonas aeruginosa	CONFORM	NONE	NF EN ISO 21148 et 22717
Staphylococcus aureus	CONFORM	NONE	NF EN ISO 21148 et 22718
Candida albicans	CONFORM	NONE	NF EN ISO 21148 et 18416
E. Coli	CONFORM	NONE	NF EN ISO 21148 et 21150

\* Due to the inherent variability of the enumeration method, according to USP chap 61 or EP chap 2.6.12. Results are expected to be out of range if: > 2000 CFU / g

> Final check:

- |                |   |
|----------------|---|
| Of the goods   | <input checked="" type="checkbox"/> Quantities<br><input checked="" type="checkbox"/> References<br><input checked="" type="checkbox"/> Quality |
| Of the pallets | <input checked="" type="checkbox"/> Protection<br><input checked="" type="checkbox"/> General Aspect  |

- The batch meets specifications. Product is released.  
 The batch doesn't meet specifications. But the product is released with the agreement of the customer.
- The quality service