

CERTIFICATE of ANALYSIS (CoA)

template version 1 - 14/12/2020

2001100075

PHYTOCREAM 2000

batch number **0218422401**

manufacturing June 2022

retest/expiry June 2023

release date

page 1 / 2

analysis number MPV532/2022

request 2200005091

testing plan version 1

method equipments and details	actual results	release limits
group method MCQC01		
Appearance	Complies	Waxy beads/flakes
Colour	Complies	Ivory
Odor	Complies	Complies
group method		
saponification number	95.40 mgKOH	min. 60,00 mgKOH max. 100,00 mgKOH
group method MCQC33		
Emulsion Test	Complies	Complies
group method MCQC03		
pH on 10% emulsion	6.50	min. 5,50 max. 7,00
group method MCQC29		
IR identification	Complies	Complies
group method MCQC27		
St. Aureus Research	Complies	Absent/1g
Ps. Aeruginosa Research	Complies	Absent/1g
Candida Albicans Research	Complies	Absent/1g
Enterobacter Research	Complies	Absent/1g

>>> continues next page <<<

method equipments and details	actual results	release limits
-------------------------------	----------------	----------------

group method MCQC22	Total Count ("0" means "<10ufc")		
TAMC	0 UFC	n.m.t. 100 UFC
TYMC	0 UFC	n.m.t. 10 UFC
Total Count	0 UFC	n.m.t. 100 UFC

This Certificate of Analysis has been issued electronically without signature by QC Head
timestamp 11/07/2022 09:24:55

As general policy, RELEASE LIMITS may be not matching conformity limits for the product shelf lifetime.
Please refer to Technical File/Product Dossier/Product Information file/Technical Data Sheet.