

## CERTIFICATE of ANALYSIS (CoA)

template version 1 - 14/12/2020

2001100075

### PHYTOCREAM 2000 RSPO-MB

RSPO-MB

Certificate Number: ICEA 12/2022

batch number SM25060010  
 manufacturing June 2025  
 retest/expiry December 2026  
 release date

page 1 / 2

analysis number MPV474/2025

request 2500004079

testing plan version 1

method equipments and details	actual results	release limits
group method MCQC01		
Appearance	Complies	Waxy beads/flakes
Colour	Complies	Ivory
Odor	Complies	Complies
group method		
saponification number	98.00 mgKOH	min. 60,00 mgKOH max. 100,00 mgKOH
group method MCQC33		
Emulsion Test	Complies	Complies
group method MCQC03		
pH on 10% emulsion	6.05	min. 5,50 max. 7,00
group method MCQC29		
IR identification	Complies	Complies

>>> continues next page <<<

method equipments and details		actual results	release limits
group method MCQC27			
S.aureus Research	-----	Complies	Absent/1g
P. aeruginosa Research	-----	Complies	Absent/1g
Candida albicans Research	-----	Complies	Absent/1g
Enterobacter Research	-----	Complies	Absent/1g
group method MCQC22 Total Count ("0" means "<10ufc")			
TAMC	-----	0 UFC	n.m.t. 100 UFC
TYMC	-----	0 UFC	n.m.t. 10 UFC
Total Count	-----	0 UFC	n.m.t. 100 UFC

This Certificate of Analysis has been issued electronically

timestamp 18/06/2025 09:45:26

 QC Head

As general policy, RELEASE LIMITS may be not matching conformity limits for the product shelf lifetime.  
 Please refer to Technical File/Product Dossier/Product Information file/Technical Data Sheet.